Thursday, 9/14/2006 1:08:28 PM Kim Johnston **Process Sheet** : LUG BRACKET **Drawing Name** Customer : CU-DAR001 Dart Helicopters Services Job Number : 28599 **Estimate Number** : 10733 AIG: : D30461 **Part Number** P.O. Number S.O. No. : 1/10 : D3046 REV A **Drawing Number** : 9/14/2006 This Issue : N/A Project Number Prsht Rev. : NIP : SMALL /MED FAB **Drawing Revision** Type First Issue : 28440 Material Previous Run **Due Date** : 9/25/2006 Written By Checked & Approved By New Issue SM : Est A 01.08(2) Comment Additional Product Job Numbèr: Description: Seq. #: Machine Or Operation: 1010/1025/A21/6aA SHEET 1.0 , M1010S12GA 0.7560 sf(s)Comment: Qty.: 0.1260 sf(s)/Unit Total: 1010/1025/A21/6aA SHEET Batch: 101094 2.0 Comment: FLOW WATER JET OB 09 20 1-Cut as per Dwg D3046 Dwg Rev:\_A Prog Rev:\_A 2-Deburr if necessary 3.0 QC2 Comment: INSPECT PARTS AS THEY COME OFF MACHINE 4.0 QC8 Comment: SECOND CHECK NC BRAKE BRAKE NC 5.0 Comment: NC BRAKE Tumble & deburr Bend as per dwg D3046

## **Dart Aerospace Ltd**

Dail At	ospace	Liu						
W/O:			WC	RK ORDER CHANG	ES			
DATE	STEP	PRO	CEDURE CHA	NGE	Ву	Date Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #:	Fault Cate	gory:	NCR: Yes	B DQA:	<u> </u>	2109/20
					QA: N/	C Closed:	Date: _	
NCR:		٧	VORK ORDI	ER NON-CONFORMA	NCE (NCR)			
		Description of NC	Corrective Action Section B			Verification	cation Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector
					İ			

NOTE: Date & initial all entries

Thursday, 9/14/2006 1:08:28 PM Date: User: Kim Johnston **Process Sheet** Drawing Name: LUG BRACKET Customer: CU-DAR001 Dart Helicopters Services Part Number: D30461 Job Number: 28599 Job Number: Seq. #: Description: **Machine Or Operation:** INSPECT WORK TO CURRENT STEP QC5 6.0 Comment: INSPECT WORK TO CURRENT STEP POWDER COATING POWDER COATING 7.0 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVERSION QC3 8.0 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION PACKAGING RESOURCE #1 9.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock 14 Location: ( > A FINAL INSPECTION/W/O RELEASE 10.0 QC21 06109126 Comment: FINAL INSPECTION/W/O RELEASE le 16.09.24 Job Completion

Form: rprocess

Page 2

Dart Ae	rospace	Ltd							
W/O:			WC	ORK ORDER CHANG	ES				
DATE	STEP				Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #:	Fault Cate	gory:					
NCR:		,	WORK ORDI	ER NON-CONFORMA		C Closed:		_ Date:	
		Description of NC	Description of NC Corrective Action		on B	Verification	tion	Annroyal	Ammental
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section		Approval Chief Eng	Approval QC Inspector

NOTE: Date & initial all entries

DATE 01.08.23

01.08.23 D3046 DRAWING NO. LUG NEW BRACKET ISSUE

RT AEROSPACE I

SHEET

1 OF 2 SCALE

TRANSFER DRILL Ø0.156 HOLES D3046 - 3FROM D3046-3 TO D3046-1. (BELL P/N 206-052-106-1) C'SINK Ø0.286 x 100° D3046-1 INSIDE BORE. ASSEMBLE USING MS20426AD5-7 RIVETS. (10 PLACES) CENTER D3046-3 ON D3046-1 UNCONTROLLED COPY SUBJECT TO AMENDIMENT D3046-1

D3046-041 LUG BRACKET ASSEMBLY

ENGINEERING

RETURN TO

SHOPCOPY

SIF

DOCUMENT

ᅜ

Copyright © 2001 by DART AEROSPACE LTD PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

ΑNΥ


PURPOSE


ဝ္က COPIED

- NOTES:
  1) FINISH: POWDER COAT WHITE (REF. 4.3.5.2) PER DART QSI 005 4.3. POWDER COAT BOTH PARTS SEPARATELY BEFORE ASSEMBLY.
  - RE-POWDER AFTER ASSEMBLY.
- 2) REMOVE ALL PAINT/SEALANT FROM D3046-3 BEFORE POWDER COATING.



DESIGN	DRAWN BY		SPACE LTD INTARIO, CANADA
CHECKED	APPROVED	DRAWING NO.	REV. A
1	#	D3046	SHEET 2 OF 2
DATE		TITLE	SCALE
01.08.23		LUG BRACKET	1:2





D3046-1 SHOULD BE BENT SO THAT IT IS WITHIN 0.010 OF THE OUTSIDE PROFILE OF THE D2600-1 EXTRUSION IN THE AREAS INDICATED 'X' ABOVE.

SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT

WITHOUT NOTICE WORK ORI

GENERAL NOTES MATERIAL: ASTM A36/A366/A569/A570 OR AISI 1010-1025 STEEL 0.100 THICK (12 GAUGE)
MIN. ULTIMATE TENSILE STRENGTH = 42 ksi
MIN. YIELD TENSILE STRENGTH = 28 ksi

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED ALL DIMENSIONS ARE IN INCHES

Copyright © 2001 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROSPACE LTD	Work Order:	28599
Description:	Part Number:	3046-1
nspection Dwg: \\Rev:		Page 1 of 1

## FIRST ARTICLE INSPECTION CHECKLIST

X First Article X Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
\$0.313	+1-0.005.0.000	0.314	<b>V</b>		VLVN	
3.150	+1-0.010	3.153	<b>V</b>		Vern	
5.205	+1-0.010	5.204	<b>/</b>		VerN	·
2.500	+/-0.010	2.495	<b>/</b>		ver-N	
-		·			1314	:
4						
			,			ign V
			· · · · · · · · · · · · · · · · · · ·			
				g		
	<u>-</u>			49		
	·			-		
	·					
		***************************************				

. , ,			
Measured by: ////	Audited by: 5-6	Prototype Approval:	1111
Date: 12,09,20	Date: 06/09 ( 20	Date:	hu,
100.07.20			

Rev	Date	Change	Revised by	Approved
A	Date	New Issue	KJ/JLM	

